

Owner's Manual

RoomWizard® INDOOR SYSTEM



PET STOP®

PET FENCE SYSTEMS

Safer by design. Greater peace of mind.™

The Best Fence You'll Never See.®

Introduction

Congratulations on your purchase of the **Pet Stop®** Indoor Pet Fence System. You will find with proper training, both you and your pet will enjoy the system for years to come.

The RoomWizard® Indoor Transmitter can be used with or without a boundary wire. The RoomWizard should be used in conjunction with a Pet Stop battery-powered receiver collar or a compatible pet containment receiver. Ask your Pet Stop dealer for a list of compatible equipment.

When operated as a wireless transmitter, the signal field radiates up to approximately seven feet from the unit. When used as a wired unit, the transmitter emits a maximum signal field of approximately four feet on either side of the boundary wire. The maximum signal field width will vary depending on the configuration of the boundary wire.

The RoomWizard indoor transmitter activates the Pet Stop collar to help train your pet to stay away from an area, room or piece of furniture. The Pet Stop collar will administer a mild correction whenever your pet enters the protected area.

The Pet Stop® RoomWizard® Indoor Transmitter is designed for indoor use only.

For the best results, please read this manual and all accompanying information in its entirety. If you have any questions, please contact your local Pet Stop dealer.

All of us at Pet Stop thank you for the opportunity to provide safety and convenience for both you and your pet. We sincerely appreciate your business.

Pet Stop is proudly designed and manufactured in America.

PET STOP  **P**

P E T F E N C E S Y S T E M S

Safer by design. Greater peace of mind.™

Table of Contents

Precautions	5
.....	
RoomWizard™ Transmitter Features	6
.....	
Using the RoomWizard as a Wireless Unit	7
.....	
Using the RoomWizard as a Wired Unit	8
.....	
Pet Stop Receivers	9-11
.....	
Training Your Pet	12
.....	
Troubleshooting	13
.....	
Troubleshooting	15



Note: This equipment has been tested and found to comply with the limits for a Class B digital device, pursuant to Part 15 of the FCC rules. These limits are designed to provide reasonable protection against harmful interference in a residential installation.

This equipment generates, uses and can radiate radio frequency energy and, if not installed and used in accordance with the instructions, may cause harmful interference to radio communications. However, there is no guarantee that interference will not occur in a particular installation. If this equipment does cause harmful interference to radio or television reception, which can be determined by turning the equipment off and on, the user is encouraged to try to correct the interference by one or more of the following measures:

- reorient or relocate the receiving antenna
- increase the separation between the equipment and receiver
- connect equipment to an outlet or a circuit different from that to which the receiver is connected
- consult the dealer or an experienced radio/tv technician for help.

Precautions

- **DO NOT** use this system for guard dogs or vicious animals. If you believe your dog may pose a threat to others, **DO NOT USE THIS SYSTEM.**
- **DO NOT** use this system as a solid barrier. This product is a deterrent, meant to train pets to remain within an established boundary. It will not work without proper training.
- **DO NOT** permit children to operate the system.
- **DO NOT** block ventilation openings or place transmitter in a tight location such as underneath a very low piece of furniture
- If you are unsure as to whether or not your dog will be suitable on a Pet Stop System, please speak with your authorized Pet Stop dealer.

.....

Additionally, your system will not work unless you:

- Adjust the collar snug enough for the contact probes to make contact with your pet's skin, but not so tight that it will cause injury. See Page 10 for collar adjustment.
- Replace the receiver battery as required. See Page 10 for details.
- Contact your local Pet Stop dealer immediately if the boundary wire is cut or damaged in any way, so they can help you fix the break as soon as possible. See Page 5 for Wire Break Warning System.
- Train your pet properly. See Page 12 for Training Tips.

.....

We do not recommend leaving your pet unsupervised while on the system.

.....



To avoid neck irritation, always remove the receiver collar from your pet at the end of the day when your pet is inside. Check your pet's neck frequently for any irritation.



Caution: Changes or modifications to any component, not expressly approved by Perimeter Technologies, Inc. could void the user's authority to operate this equipment.

RoomWizard® Features



1: Digital Range Display

Readouts display the current signal field range setting.

2: Power On/Off and Range Adjustment Buttons

If the Range Display is not lit, pressing the upper (“+”) button will turn the transmitter on. Pressing both buttons (“+” and “-”) at the same time will turn the transmitter off.

Pressing the upper (“+”) button will increase the signal field emanating from the boundary wire. This will effectively increase the area on both sides of the wire, where your pet will receive a correction. Pressing the lower (“-”) button will decrease this area. When used in wireless mode, the signal field range adjustments will increase or decrease the area surrounding the unit.

3: AC Adapter Power Connector

Plug in the AC adapter that came with the unit, into the “Power” connector on the left. Only use an approved PET STOP® AC adapter.

4: Wired Mode Adapter Cord Connector

When using the transmitter with boundary wire, plug in the Wired Mode adapter cord at the right connector labeled “Loop”.

RoomWizard® – Wireless

Your Pet Stop RoomWizard can be set up in your home as either as wireless or wired system, depending on the needs of you and your pet.

Pet Stop RoomWizard - Wireless Operation

Place the RoomWizard unit in the location you want your pet to avoid. For example, if you do not want your pet to jump on the sofa, place the unit under the sofa. The RoomWizard can also be permanently mounted on a wall using the key hole slot on the bottom of the transmitter case.

RoomWizard

Under normal operation, the RoomWizard will display the signal field strength number (such as “10”) and will make no sounds. This indicates the RoomWizard is operating normally. You can make adjustments to the signal field range to achieve the correction zone you desire. Pressing the upper button (“+”) will increase the signal field to a maximum of 32. Pressing the lower button (“-”) will decrease the signal field to a minimum of 1.

To turn on the RoomWizard unit:

1. Plug the AC adapter into an AC electrical outlet.
2. Plug the other end of the AC adapter into the LEFT connector on the RoomWizard marked “Power” as shown in photo below.
3. The Range display should be lit to indicate the RoomWizard is on. If the range display is not lit, press the top Range Adjustment button to turn the unit on.
4. Adjust the signal field range by pushing the upper button (+) to increase the range and the lower button (-) to decrease the range.
5. Test the signal field range by using the receiver collar and listening for the beeps.



Remember:

Always remove your pet's Pet Stop receiver collar before making any adjustments to the signal field range.



RoomWizard - Wireless Operation

AC adapter

RoomWizard® – Wired

Pet Stop RoomWizard - Wired Operation

To keep your pet out of one or several rooms, it is recommended that boundary wire be laid around the edges of a room, or installed in the basement ceiling. Ask your Pet Stop dealer about wiring one or several rooms.

The Wired Mode adapter cord attaches to each end of the boundary wire by twisting them together and reinforced with electrical tape for insulation. The Wired Mode adapter is then plugged into the RIGHT side of the RoomWizard unit, marked "LOOP".

The RoomWizard unit's AC adapter is plugged into an AC electrical outlet, then the other end of the AC adapter is plugged into the LEFT connector on the unit marked "POWER". The Range Display should be lit to indicate the RoomWizard unit is on. If the Range display is not lit, press the top Range Adjustment button to turn the RoomWizard unit on.

Your Pet Stop dealer has set the range that is appropriate for your pet. You can adjust the signal field range by pushing the upper button (+) to increase the range and the lower button (-) to decrease the range.

If the transmitter detects a break in the boundary wire the signal field Range Display will begin to blink.



Note: The RoomWizard will not detect a break in the wire if the signal field setting is set below 6.



Remember: Always remove your pet's Pet Stop receiver collar before making any adjustments to the signal field range.

Room Wizard - Wired Operation



The Receivers

Pet Stop® UltraElite Receiver® and UltraMax Receiver®

The Pet Stop receivers provide safety and convenience for both you and your pet. Both the UltraElite and UltraMax receiver features allow your pet to go anywhere within the boundary you determine, without worrying about your pet experiencing an unintentional correction due to Radio Frequency (RF) interference generated by electrical appliances.

To accomplish this, Pet Stop uses a microprocessor (small computer) in the receiver which analyzes all incoming signals. When a signal is detected, the microprocessor analyzes it in a matter of milliseconds and determines whether it is the Pet Stop signal or a random RF noise. If the signal detected is the Pet Stop signal, the receiver first emits an audible tone and then administers a correction to remind your pet of its boundaries. If the signal is not the Pet Stop signal, the receiver disregards it. This signal processing eliminates false alarms which could confuse your pet and make training difficult.

Your Pet Stop dealer has set the receiver to the appropriate correction setting for your dog(s). It is not necessary to change the receiver setting unless, perhaps your dog's environment and distractions change from its initial training. Contact your Pet Stop dealer if you have questions about your dog's receiver settings.

Flash Alert® Low Battery Light

A dead battery in the receiver is one of the primary reasons a pet might escape the yard. The Pet Stop Flash Alert Low Battery Light alerts you when the battery is nearly depleted. The low battery indicator light will flash red for several days before the battery needs to be changed.

Safety Stop® Shut Off

The Pet Stop Safety Stop is a microprocessor-controlled timing circuit which minimizes the period of time during which your pet can receive a correction. This feature is extremely important if your pet happens to get caught within the signal field. Unlike other systems which continue to pulse or correct up to one hour, the Pet Stop SafetyStop will shut off the correction after 20 seconds.


TriScann® Omni-Directional Antenna

The Pet Stop TriScann antenna ensures that the receiver always detects the radio signal, no matter what position the receiver is in. However when your dog moves or turns, the receiver will always be ready to remind your dog of the boundary.



To avoid neck irritation, always remove the receiver collar from your pet's neck at the end of the day when your pet is inside. Check your pet's neck frequently for any irritation.

The Receivers



Attaching The Receiver

Attaching the UltraElite or UltraMax receiver to your collar is easy!

1. Place the collar holes over the receiver inserts. Be sure the receiver case is on the out side of the collar.
2. Install the plastic washers with the flat side toward the probes.
3. Attach the probes by screwing them snugly (preferably by hand) into the receiver inserts.




Be careful not to over-tighten the probes. Over-tightening can cause damage to the probes and receiver case.

If you wish to attach the receiver to a collar other than the one provided by your Pet Stop dealer, you must create two holes for the receiver inserts, washers, and probes. Be sure the holes are correctly sized to fit properly. After doing so, follow the above steps to attach the receiver to the collar.

Adjusting the Receiver Collar on your Pet.

It is important that the probes sufficiently make contact with the dog's skin. One finger should fit between the dog's neck and a probe. Your Pet Stop dealer will demonstrate proper collar snugness. Be sure to check the collar every few days for proper snugness. Your dog will not feel a correction if the collar is too loose, and may escape from the yard. Always remove the receiver collar at the end of the day when your pet is inside.



The receiver collar may need adjustment due to changes in your pet's coat, weight and age.

Battery Replacement

To replace the battery, remove the battery cover with any flat-head screwdriver or a coin. Remove the old battery and discard it. Insert the new battery with the positive (+) end UP toward the battery cover. If you are uncertain which side of the battery is the positive side, look closely at the flat side of the battery. You will see a plus (+) mark indicating the positive end.

Battery Maintenance

Battery maintenance is convenient and easy. Your Pet Stop dealer can offer you a battery subscription plan which will make the timing of battery replacement hassle-free. With this plan, you will receive a battery in the mail when it is time to replace it. Ask your Pet Stop dealer for details.

The Receivers



Low Battery Indicator

UltraElite Receiver®

The lightweight Pet Stop UltraElite receiver is equipped with a Flash Alert® low battery light. This indicator will flash red for several days before the battery expires.

Contact your local Pet Stop dealer for a new battery.



Battery Cover

Comfort Contacts® Soft Tip Probes

Our Comfort Contacts probes are an important part of the Pet Stop system. In order for your dog to feel a correction the soft rubber probes need to make contact with the dog's skin.

Your Pet Stop dealer will demonstrate how to properly place the receiver collar on your dog.

Battery Cover

Remove this cover using a flat-ended screwdriver or coin to replace the battery.



Low Battery Indicator

UltraMax Receiver®

The robust Pet Stop UltraMax receiver has been specifically designed for stubborn or high energy dogs.

Contact your local Pet Stop dealer for a new battery.

Training Your Pet

Training your Pet

Your Pet Stop dealer will introduce your dog to his new indoor boundaries by using training steps similar to those used in outdoor system training. Your dealer will first place training flags in an area or room that is now off-limits to your dog. For example, if your dog is no longer allowed in the dining room, flags will be placed at the doorway(s) to deter your dog from entering that room. If your dog is not allowed up a stairway, flags will be placed at the bottom of the stairs. If your dog is already trained using the outdoor system, he will quickly recognize and avoid the flags, and not enter the room.

Your Pet Stop dealer will begin training by placing the receiver collar on your dog. Depending on your dog's personality your dealer will begin training using the audible tone or a mild correction.

When your dog respects his new indoor boundaries, usually after a few days to a week, you can remove the training flags.

If you find you need to add another room or area as off-limits to your pet, be sure to follow the training steps recommended by your Pet stop dealer. Be sure to contact your dealer if you have questions about indoor training.

Your Pet's Personality

Your pet's reaction to the training session varies depending on personality and breed.

1. Some pets have a great and immediate respect for the boundary, especially if your dog is already trained to the outdoor system.
2. On the other hand, some pets may show little or no reaction when experiencing the correction. If this should occur, check the following:
 - a. *Are the contact probes making contact with the dog's skin?*
Make sure the collar is tight enough around the dog's neck.
 - b. *Is your pet's coat trimmed back to one-half inch in the area where the receiver is positioned?*
If your dog has a thick long coat, it may be necessary to trim back his fur so the contact probes touch the skin. Ask your Pet Stop dealer for help.
 - c. *Is the battery inserted correctly in the receiver?*
Be sure the battery is inserted positive (+) end up.



If your pet still shows little reaction, contact your Pet Stop dealer for adjustments or additional training. Remember to communicate any training difficulties to your Pet Stop dealer so that he or she can help.



If your dog wears the receiver collar both for indoors and outdoor system use, be sure to check the collar regularly for skin irritation. When you take your dog for walks, remove the Pet Stop collar.

Troubleshooting

RoomWizard® Indoor Transmitter

Problem: The RoomWizard Range Display is not lit.

1. Check to make sure the RoomWizard has not been turned off. Do this by pressing the “up” button (button that increases the signal field strength).
2. Check the AC outlet to make certain it is supplying power. We recommend you plug something else into the outlet to see if the outlet is good.
3. Check that the AC adapter is plugged into the LEFT connector.

Problem: The RoomWizard Range Display is blinking. (Possible cause: overheating)

1. Check to make sure that nothing is obstructing the unit; do not block any ventilation openings on the RoomWizard.
2. Do not install near any heat sources such as radiators, heat registers, stoves, or other apparatus that produce heat.
3. Make sure that the RoomWizard is not located in a tight location as in underneath a very low piece of furniture.
4. Unplug the RoomWizard when unused for long periods of time.

Problem: the RoomWizard is beeping and the Range Display is flashing on and off.

1. Make sure that the boundary wire is plugged correctly into the connector on the right side of the transmitter.
2. Make certain that the boundary wire has not been damaged. You may have a break in the boundary wire. Locate the break and repair it or replace the boundary wire.

Receiver

Problem: The Receiver is not detecting the signal from the wire.

1. Make certain that the RoomWizard is turned on and is transmitting a radio signal.
2. Make sure that the receiver battery has been recently replaced and was inserted properly.

Problem: Pet not responding to training pulse

1. Check the fit and snugness of the pet's receiver collar. Make certain that the soft probes are making contact with the dog's skin. In some case, it may be necessary to shave a portion of the dog's fur in order for the probes to make proper contact.
2. Make sure that the receiver battery has been recently replaced and was inserted properly.
3. If your receiver uses Comfort Contacts® with rubber tips make sure they have been replaced. Depending on the pet, these tips may need to be replaced as often as every six months.

Problem: Low battery indicator on the receiver is flashing.

1. When the Low Battery Indicator is flashing it means you need to replace the battery. Refer to the battery replacement section on Page 9 for specific instructions.



Contact your local Pet Stop dealer if none of the above solutions resolve the problem.

Warranty

LIMITED WARRANTY: PERIMETER TECHNOLOGIES, INC. (Manufacturer), subject to the terms and conditions contained herein, hereby warrants that it will repair or replace at its discretion, through an authorized Dealer, the equipment described below that prove defective by workmanship or materials for the period so listed and for a "Replacement Fee" following the warranty period or for defects not covered under warranty. Authorized Dealers are permitted to charge a fee in connection with servicing the equipment described below.

RoomWizard® Indoor Transmitter – for a period of twenty four (24) months from the date of purchase at retail, any IT-200 Indoor Transmitter that proves defective by reason of workmanship or material.

Transmitters	Warranty	Exclusions and Inclusions
OT-100™	Limited Lifetime	24 months from date of purchase, excludes surge damage.
OT-200™	Lifetime	Lifetime, includes damage by electrical surge.
OT-300™	Lifetime	Lifetime, includes damage by electrical surge.
IT-200™	Limited Lifetime	24 months from date of purchase, excludes surge damage.

Receivers	Warranty	Exclusions and Inclusions
Elite Receiver™	Lifetime	Lifetime, includes damage due to a dog chew on a one time occurrence.
UltraElite Receiver®	Lifetime	Lifetime, includes damage due to a dog chew on a one time occurrence.
Elite SW Receiver™	Limited Lifetime	24 months from date of purchase, excludes dog chews.

Terms and condition are as follows:

- The warranty is limited to the original purchaser of the unit at retail. When requesting warranty service, proof of purchase may be required. A copy of the Sales Agreement may be used.
- The unit must be shipped, freight prepaid, or delivered to an authorized Dealer of Manufacturer to render the service provided herein. To locate an authorized Dealer visit the Manufacturer's website at www.petstop.com.
- The unit must not have been previously altered, repaired or serviced by anyone other than a service facility authorized by Manufacturer. The unit must not have been subject to accident, misuse, abuse, or operated contrary to the instructions provided with the product. Warranty does not include lost or stolen equipment.

EXCEPT TO THE EXTENT PROHIBITED BY APPLICABLE LAW, NO OTHER WARRANTIES, WHETHER EXPRESSED OR IMPLIED, OTHER THAN THOSE PROVIDED IN WRITING HEREIN, SHALL APPLY TO THIS UNIT, PERIMETER TECHNOLOGIES, INC. SHALL NOT BE LIABLE FOR ANY IMPLIED WARRANTY OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE FOR ANY PERIOD IN EXCESS FOR THE PERIODS OF EXPRESS WARRANTIES PROVIDED ABOVE. IN ADDITION, UNDER NO CIRCUMSTANCES, SHALL PERIMETER TECHNOLOGIES, INC. BE LIABLE FOR PROPERTY DAMAGE, ECONOMIC LOSS, OR ANY CONSEQUENTIAL DAMAGES SUSTAINED IN CONNECTION WITH SAID UNIT. SOME STATES DO NOT ALLOW LIMITATION ON HOW LONG AN IMPLIED WARRANTY LASTS, OR DO NOT ALLOW THE EXCLUSION OR LIMITATION OF INCIDENTAL OR CONSEQUENTIAL DAMAGES, SO THE ABOVE LIMITATIONS OR EXCLUSIONS MAY NOT APPLY TO YOU.

PERIMETER TECHNOLOGIES, INC. NEITHER ASSUMES NOR AUTHORIZES ANY REPRESENTATIVE OR OTHER PERSON TO ASSUME FOR IT ANY OBLIGATION OR LIABILITY OTHER THAN SUCH AS IS EXPRESSLY SET FORTH HEREIN. THIS WARRANTY GIVES YOU SPECIFIC LEGAL RIGHTS, AND YOU MAY ALSO HAVE OTHER RIGHTS WHICH VARY FROM STATE TO STATE.

PET STOP[®]



P E T F E N C E S Y S T E M S

Safer by design. Greater peace of mind.™

Perimeter Technologies, Inc - Morgantown, PA 19543
©2008 Perimeter Technologies, Inc. All Rights reserved.

Our products are covered by U.S. Patent Numbers: 5,460,124 - 5,682,839 - 6,296,776.

Pet Stop, Comfort Contacts, Flash Alert, Safety Stop, Pet Fence Systems, The Best Fence You'll Never See, TriScann, Zapp Alert, UltraElite Receiver, Ultramax Receiver, PowerWizard, RoomWizard and The Dog Fence People are registered trademarks of Perimeter Technologies, Inc.

www.petstop.com

